



P.O. Box 58028  
 Raleigh, NC 27658  
 (919) 832-7209 telephone  
 (866) PLAY-INC toll free  
 (919) 832-7203 fax  
 www.interactiveplaygrounds.com

Event #: _____
----------------

## Safety Rules for Inflatables

Name of Inflatable: \_\_\_\_\_

- **Adult supervision is required at all times.**
- Do **not** operate inflatables in high winds or rain. Unload all occupants and deflate the inflatable if wind gusts are greater than **20 miles per hour**.
- **Limit occupants of the inflatable to the number specified by the manufacturer.** \_\_\_\_\_ **People**
- **Participants must be of equal size and ability.** Participants must be 200 pounds or less (unless another weight is specifically listed on the inflatable).
- **No flips**, pushing, rough housing are permitted on any inflatable. \_\_\_\_\_ (customer initials)
- Remove shoes and any sharp objects such as jewelry and buttons with pins before using the inflatable.
- **No silly string**, food, gum or other candy allowed on the inflatables. A \$50 cleaning fee will be charged for any silly string or similar item that has to be removed from the inflatable because of your event.  
Inflatable was clean at the start of the event: \_\_\_\_\_ (customer initials)
- Follow any other rules listed by the manufacturer on the side of the inflatable.
- If the inflatable begins to deflate while children or adults are playing, immediately evacuate each person individually as the inflatable will deflate rapidly. Possible Causes for Deflation include:
  - 1 Loss of Power
    - a. Check to make sure that the blower is turned on and that all extensions cords are properly plugged in.
    - b. Check to see if the circuit has popped. Plug blower cord into an outlet on a different circuit.
  - 2 Check the inflation tube to make sure it is properly attached to the blower fan. The inflation tube must be properly closed around the fan outlet cone to prevent large air leakage.
  - 3 Check to make sure that all zippers on the inflatable are zipped shut.
- Do **not** allow any children or adults in the rear of the ride or near the electric blower fan at any time. Do **not** put fingers/hands into fan inlet or outlet when running.
- Have a fire extinguisher located close by any generators. In the event of a fire evacuate all occupants from the attractions.
- If an injury occurs that requires more than basic first aid:
  - 1 Do **not** move the injured person. Immediately seek medical assistance and call for an ambulance.
  - 2 Do **not** allow any additional participants onto the attraction.
  - 3 Do **not** move the attraction. Immediately call an Interactive Playgrounds' representative who will contact the appropriate N.C. amusement safety officials who will investigate the accident and perform a site inspection within 24 hours. **IP Rep telephone #:** \_\_\_\_\_
  - 4 Fill out an Incident Report for Interactive Playgrounds Inc.

These Safety Rules were reviewed with the Trainee on \_\_\_\_\_, 200\_\_.

Trainee's Name: \_\_\_\_\_  
Printed Name

Trainer's Name: \_\_\_\_\_  
Printed Name

Signature: \_\_\_\_\_

Signature: \_\_\_\_\_